

CONSTRUCTION POLICIES

Community Development
701 Laurel St., Menlo Park, CA 94025
tel 650-330-6704



Work without permit
<p>Projects regulated by the City of Menlo Park Municipal Code and the 2019 California Building Standards Code which are undertaken without the appropriate permit(s) being issued will be subject to a stop work notice being placed on the project and a penalty fee equal to the amount of the permit will be assessed.</p> <p>All areas of work that have been undertaken without the appropriate permit(s) being issued and have been covered will need to be exposed for inspection after the appropriate permit(s) have been issued.</p>
Work hours
<p>Work hours are regulated by noise levels created during construction. The maximum noise levels allowed are established in the City of Menlo Park Municipal Code Chapter 8.06 Noise.</p> <p>Any and all excessively annoying, loud or unusual noises or vibrations such as offend the peace and quiet of persons of ordinary sensibilities and which interfere with the comfortable enjoyment of life or property and affect at the same time an entire neighborhood or any considerable number of persons shall be considered a noise disturbance.</p> <p>Construction activities and powered equipment:</p> <ol style="list-style-type: none">1. Construction activities and powered equipment are limited to the hours of Monday through Friday, 8 a.m. and 6 p.m.2. Construction activities and powered equipment by residents and property owners personally undertaking construction activities to maintain or improve their property are allowed on Saturdays, Sundays or holidays between the hours of 9 a.m. and 5 p.m.3. A sign, containing the permitted hours of construction activities exceeding the noise limits set forth in the City's noise ordinance, shall be posted at all entrances to a construction site upon the commencement of construction. The sign shall be at least 5 feet above ground level and shall consist of a white background with black letters.4. Notwithstanding any other provision set forth above, all powered equipment shall comply with the limits set forth in Section 8.06.040(b).5. Piece of equipment shall generate noise in excess of 85 dBA at 50 feet.
Alternate methods and materials
<ul style="list-style-type: none">• Where prescriptive code requirements cannot be met the Building Official may approve an alternative material, design or method of construction where the building official finds that the proposed design is satisfactory and complies with the intent of the provisions of the code.• The building code requires that an alternate material or method be approved by the Building Official before installation. An alternate method and materials application must be submitted to the Building Division for review and approval and the approval of the material or method must be granted before installation. There will be no review or approval of an alternate material or method if the application is made after the installation.
Revisions to plans
<ul style="list-style-type: none">• All revisions to approved plans issued for construction are to be reviewed and approved by the City of Menlo Park Building Division before inspection of the work.
Fencing
<ul style="list-style-type: none">• Six foot high chain link construction safety fences shall be erected and maintained during construction.• Tree protection measures, when required, shall be erected before the commencement of construction or demolition and maintained during construction.• No fencing shall be erected in the public right of way without first obtaining an encroachment permit from the City's Engineering Division.
Site work
<ul style="list-style-type: none">• Written notice must be given to the owners of adjoining properties 10 days before the scheduled start date of an excavation.• All public streets are to be swept and washed at the end of each day during grading, excavation and foundation work.• Dust control measures shall be in place while the site is being graded and excavated.

- A demolition permit does not include grading or excavation. For non-single family residential projects, a grading and excavation permit will be required.
- All erosion control measures will be installed by Oct. 15 and will remain in place and operational until April 15 or when specified by the City's Engineering Division.
- Washing out of concrete trucks and pumps onto the public right of way or into the storm drain system is prohibited.
- Concrete trucks and pumps shall not block traffic on public streets.

Mechanical, electrical, plumbing and framing

- Building materials shall not be unloaded or stored in the public right of way.
- At least 10 feet of copper water pipe from the structure to toward the street is required for new water mains as part of the grounding electrode system.
- From Sept. 15 through May 15. Inspections for framing, rough electrical, rough mechanical, insulation, or sheetrock will not be made without the roofing, windows and doors installed, and the building wrapped with a water-tight barrier.
- Special inspection, when required, is in addition to all required City inspection.
- Structural observation by the engineer of record, when required, shall be completed before City inspection.

Temporary occupancy and final inspections

- For residential development projects, temporary occupancy will not be granted without a hard, weed free driveway extending to the required off street parking spaces. If the driveway cannot be completed before temporary occupancy, a temporary driveway of material that cannot wash away in a rainstorm extending from the street to the required off street parking spaces and a cash bond in the amount of the cost of the driveway posted with the City of Menlo Park will be required.
- All life safety measures shall be installed before temporary occupancy.
- All off street parking shall be installed before final inspection.